

Wildlife Habitat (MN)

Becker County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 20B: Chapett | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 20C2: Chapett, eroded | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 20E: Chapett | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 26: Aazdahl | 90 | Good | Good | Good | Good | Good | Poor | Fair | Good | Fair | Poor |
| 33B: Barnes | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 36: Flom | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| 38B: Waukon | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 38C: Waukon | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 38E: Waukon | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 40B: Nebish | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 40C: Nebish | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 40E: Nebish | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 47: Colvin | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 63: Rockwell | 90 | Fair | Fair | Good | Fair | Fair | Good | Good | Fair | Fair | Good |
| 108: McIntosh | 90 | Good | Good | Good | Fair | Fair | Poor | Poor | Good | Fair | Poor |
| 111: Hangaard | 90 | Poor | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| 121: Wykeham | 90 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |
| 125: Beltrami | 90 | Good | Good | Good | Good | Fair | Very poor | Very poor | Good | Good | Very poor |
| 133A: Dalbo | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 133B: Dalbo | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 133C: Dalbo | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 133E: Dalbo | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 137: Dovray | 90 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 141B: Egeland | 90 | Fair | Fair | Good | Fair | Very poor | Very poor | Very poor | Fair | --- | Very poor |
| 141C: Egeland | 90 | Very poor | Fair | Good | Fair | Very poor | Very poor | Very poor | Very poor | --- | Very poor |
| 168B: Forman | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 168C2: Forman, eroded | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 168D2: Forman, eroded | 90 | Poor | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 168E: Forman | 90 | Very poor | Very poor | Good | Good | Good | Very poor | Very poor | Very poor | Good | Very poor |
| 171B: Formdale | 90 | Good | Good | Good | Good | Fair | Poor | Fair | Good | Fair | Poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 180: Gonvick | 90 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |
| 184: Hamerly | 90 | Good | Good | Good | Good | Good | Fair | Poor | Good | Good | Poor |
| 191: Epoufette | 90 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| 202: Meehan | 90 | Poor | Fair | Good | Fair | Fair | Fair | Fair | Fair | Fair | Fair |
| 207D: Nymore | 90 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Very poor | Fair | Very poor |
| 267B: Snellman | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Poor |
| 267C: Snellman | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 267E: Snellman | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 315A: Bootlake | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 315B: Bootlake | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 332B: Sugarbush | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 335: Urness | 90 | Fair | Fair | Fair | Poor | Very poor | Good | Good | Fair | Poor | Poor |
| 339: Fordville | 90 | Good | Good | Good | Poor | Very poor | Very poor | Very poor | Good | Very poor | Very poor |
| 344: Quam | 90 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| 351: Colvin, depressional | 90 | Fair | Fair | Fair | Poor | Poor | Good | Good | Fair | Poor | Good |
| 375: Forada | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 398: Winger, depressional | 90 | Fair | Fair | Fair | Poor | Poor | Good | Good | Fair | Poor | Good |
| 406A: Dorset | 90 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 406B: Dorset | 90 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 413: Osakis | 90 | Fair | Fair | Fair | Poor | Poor | Poor | Poor | Fair | Poor | Poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 418: Lamoure, occasionally flooded | 90 | Good | Good | Fair | Good | Good | Fair | Fair | Good | Good | Fair |
| 422B: Bygland | 90 | Good | Good | Good | Fair | Fair | Poor | Poor | Good | Poor | Poor |
| 422C: Bygland | 90 | Good | Good | Good | Fair | Fair | Poor | Poor | Good | Poor | Poor |
| 503B: Balmlake | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 503C: Balmlake | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 503E: Balmlake | 90 | Fair | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 508: Wyndmere | 90 | Fair | Good | Good | Good | Good | Fair | Poor | Good | Good | Poor |
| 540: Seelyeville | 90 | Very poor | Poor | Good | Poor | Poor | Good | Good | Fair | Poor | Good |
| 541: Rifle | 90 | Fair | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 544: Cathro | 90 | Poor | Fair | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| 564: Friendship | 90 | Poor | Fair | Good | Fair | Good | Poor | Very poor | Fair | Good | Very poor |
| 567A: Verndale | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 567B: Verndale | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 579C2: Formdale, eroded | 35 | Good | Good | Good | Good | Fair | Poor | Fair | Good | Fair | Poor |
| Langhei, eroded | 35 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Sandberg | 20 | Poor | Poor | Good | Poor | Poor | Very poor | Very poor | Good | Good | Very poor |
| 624: Rosy | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 701: Runeberg, depressional | 90 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 711B: Arvilla | 65 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Sandberg | 25 | Poor | Poor | Good | Poor | Poor | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 711C: Arvilla | 50 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Sandberg | 40 | Poor | Poor | Good | Poor | Poor | Very poor | Very poor | Good | Good | Very poor |
| 718B: Naytahwaush | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 718C: Naytahwaush | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 718E: Naytahwaush | 90 | Very poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 721E: Corliss | 90 | Very poor | Very poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 746: Haslie | 90 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 747B: Audubon | 90 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| 753D: Abbeylake | 90 | Poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 753E: Abbeylake | 90 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 765: Smiley | 90 | Good | Good | Fair | Fair | Fair | Fair | Good | Fair | --- | Good |
| 767: Auganaush | 90 | Poor | Fair | Fair | Fair | Fair | Good | Fair | Fair | Fair | Fair |
| 775B: Sugarbush | 55 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 35 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 775C: Sugarbush | 50 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 40 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 776B: Snellman | 60 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Poor |
| Sugarbush | 30 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 776C: Snellman | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sugarbush | 30 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 776E: Snellman | 55 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 776E: Sugarbush | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 778B: Dorset | 70 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Corliss | 25 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 778C: Dorset | 50 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Corliss | 35 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 780B: Audubon | 70 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Boyerlake | 20 | Fair | Good | Fair | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| 780C2: Audubon, eroded | 65 | Good | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Boyerlake, eroded | 25 | Fair | Good | Fair | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| 780D2: Audubon, eroded | 60 | Fair | Good | Good | Poor | Poor | Very poor | Very poor | Good | Poor | Very poor |
| Boyerlake, eroded | 30 | Fair | Fair | Fair | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 785: | | | | | | | | | | | |
| Hamerly | 60 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Winger | 30 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 786: | | | | | | | | | | | |
| Winger | 45 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| Hamerly | 25 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Colvin | 20 | Fair | Fair | Fair | Poor | Poor | Good | Good | Fair | Poor | Good |
| 797: | | | | | | | | | | | |
| Lupton | 45 | Fair | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| Mooselake | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |
| 867B: | | | | | | | | | | | |
| Graycalm | 60 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| Menahga | 30 | Poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 867C: | | | | | | | | | | | |
| Graycalm | 60 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| Menahga | 30 | Poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 867E: | | | | | | | | | | | |
| Graycalm | 60 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 867E: Menahga | 30 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 903B: Barnes | 65 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| Langhei | 25 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| 903C2: Barnes, eroded | 55 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Langhei, eroded | 35 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 931C2: Formdale, eroded | 55 | Good | Good | Good | Good | Fair | Poor | Fair | Good | Fair | Poor |
| Langhei, eroded | 35 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 942D2: Langhei, eroded | 55 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Barnes, eroded | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 943D2: Langhei, eroded | 50 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Formdale, eroded | 40 | Fair | Good | Good | Good | Fair | Poor | Poor | Good | Fair | Poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 943E: | | | | | | | | | | | |
| Langhei | 55 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Formdale | 35 | Poor | Fair | Good | Good | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 951B: | | | | | | | | | | | |
| Nebish | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sugarbush | 30 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 951C: | | | | | | | | | | | |
| Nebish | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sugarbush | 30 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 951E: | | | | | | | | | | | |
| Nebish | 60 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sugarbush | 30 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1015: | | | | | | | | | | | |
| Udipsamments, cut and fill land | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1016: | | | | | | | | | | | |
| Udorthents, loamy, cut and fill land | 100 | Poor | Poor | Fair | Good | Good | Poor | Very poor | Poor | Fair | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1027: Udorthents, wet substratum | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1030: Pits, gravel | 50 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Udipsamments | 50 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1104B: Waukon | 55 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Dorset | 35 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1104C: Waukon | 55 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Dorset | 35 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1111: Nidaros, frequently flooded | 90 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Very poor | Poor | Good |
| 1113: Cathro, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Haslie, ponded | 30 | Very poor | Very poor | Poor | Very poor | Very poor | Good | Good | Poor | Very poor | Good |
| Seelyeville, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1125B: | | | | | | | | | | | |
| Sverdrup | 70 | Fair | Fair | Fair | Fair | Fair | Poor | Very poor | Fair | Fair | Poor |
| Abbeylake | 20 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1125C: | | | | | | | | | | | |
| Sverdrup | 50 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Abbeylake | 40 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1126B: | | | | | | | | | | | |
| Verndale | 50 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Nymore | 40 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 1127A: | | | | | | | | | | | |
| Bootlake | 50 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Graycalm | 40 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1127B: | | | | | | | | | | | |
| Bootlake | 50 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Graycalm | 40 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1128: | | | | | | | | | | | |
| Cathro, frequently flooded | 90 | Poor | Fair | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1129: Lindaas, morainic | 90 | Good | Good | Good | Good | Good | Good | Good | Fair | Fair | Good |
| 1130: Wolverton | 90 | Good | Good | Good | Fair | Poor | Poor | Poor | Good | Fair | Poor |
| 1131B: Verndale | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Abbeylake | 30 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1132B: Eagleview | 50 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Balmlake | 40 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1132C: Eagleview | 50 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Balmlake | 40 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1132E: Eagleview | 50 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Balmlake | 40 | Fair | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1135: Foxlake | 90 | Good | Good | Good | Poor | Poor | Good | Good | Good | Poor | Good |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1136: Nidaros | 90 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 1137B: Birchlake | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1137C: Birchlake | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1137D: Birchlake | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1137E: Birchlake | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1138: Hangaard, lake beaches | 45 | Poor | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| Rushlake, lake beaches | 45 | Poor | Good | Good | Good | Good | Fair | Poor | Good | Good | Fair |
| 1140B: Eagleview | 50 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Snellman | 40 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Poor |
| 1140C: Eagleview | 50 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Snellman | 40 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1149: Hamerly | 90 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| 1195B: Sybil | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Eagleview | 30 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1195C: Sybil | 60 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Eagleview | 30 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1195E: Sybil | 60 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Eagleview | 30 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 1196B: Lida | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 20 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1196C: Lida | 60 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Two Inlets | 25 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1196E: | | | | | | | | | | | |
| Lida | 60 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 25 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 1200: | | | | | | | | | | | |
| Egglake | 90 | Good | Good | Good | Good | Good | Good | Good | Fair | Fair | Good |
| 1201C: | | | | | | | | | | | |
| Sugarbush | 65 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Snellman | 25 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1201E: | | | | | | | | | | | |
| Sugarbush | 65 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Snellman | 25 | Very poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1210: | | | | | | | | | | | |
| Paddock | 50 | Fair | Good | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| Epoufette | 40 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| 1211: | | | | | | | | | | | |
| Egglake | 65 | Good | Good | Good | Good | Good | Good | Good | Fair | Fair | Good |
| Cathro | 25 | Poor | Fair | Fair | Fair | Fair | Good | Good | Poor | Fair | Good |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1225: | | | | | | | | | | | |
| Wykeham | 60 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |
| Karlstad | 30 | Poor | Fair | Fair | Fair | Fair | Poor | Very poor | Poor | Fair | Very poor |
| 1227: | | | | | | | | | | | |
| Cathro, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Quam, ponded | 30 | Very poor | Poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Urness, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| 1230: | | | | | | | | | | | |
| Haslie, ponded | 45 | Very poor | Very poor | Poor | Very poor | Very poor | Good | Good | Poor | Very poor | Good |
| Nidaros, ponded | 45 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| 1234B: | | | | | | | | | | | |
| Formdale | 60 | Good | Good | Good | Good | Fair | Poor | Fair | Good | Fair | Poor |
| Buse | 30 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| 1235B: | | | | | | | | | | | |
| Formdale | 40 | Good | Good | Good | Good | Fair | Poor | Fair | Good | Fair | Poor |
| Buse | 25 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| Sandberg | 20 | Poor | Poor | Good | Poor | Poor | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1236B: Eagleview | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1236C: Eagleview | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1236E: Eagleview | 90 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 1238E: Two Inlets | 55 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Sugarbush | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1242D: Sandberg | 65 | Very poor | Fair | Good | Poor | Poor | Very poor | Very poor | Fair | Poor | Very poor |
| Arvilla | 25 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1243B: Sol, very stony | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1243C: Sol, very stony | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1243E: Sol, very stony | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1244B: | | | | | | | | | | | |
| Sol, very stony | 65 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Sugarbush, very stony | 25 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1244C: | | | | | | | | | | | |
| Sol, very stony | 60 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Sugarbush, very stony | 30 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1244E: | | | | | | | | | | | |
| Sol, very stony | 55 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Sugarbush, very stony | 35 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1246: | | | | | | | | | | | |
| Winger | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| 1247D: | | | | | | | | | | | |
| Corliss | 65 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Dorset | 25 | Poor | Poor | Good | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 1248C: | | | | | | | | | | | |
| Nymore | 60 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Verndale | 30 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1249C: | | | | | | | | | | | |
| Graycalm | 60 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| Bootlake | 30 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1250C: | | | | | | | | | | | |
| Abbeylake | 60 | Poor | Fair | Fair | Poor | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Verndale | 30 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1251: | | | | | | | | | | | |
| Lamoure, channeled, frequently flooded | 95 | Very poor | Poor | Fair | Good | Good | Fair | Fair | Poor | Good | Fair |
| 1252B: | | | | | | | | | | | |
| Bootlake | 50 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Eagleview | 40 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 1263C: | | | | | | | | | | | |
| Eagleview | 50 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Bootlake | 40 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1291: | | | | | | | | | | | |
| Sedgeville, frequently flooded | 95 | Very poor | Poor | Poor | Fair | Fair | Good | Good | Poor | Fair | Good |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1306: Karlstad | 90 | Poor | Fair | Fair | Fair | Fair | Poor | Very poor | Poor | Fair | Very poor |
| 1317: Vallers | 90 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| 1318: Darnen | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 1319B: Rockwood, stony | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1319C: Rockwood, stony | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1319D: Rockwood, stony | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 1320B: Blowers, stony | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 1321: Paddock, stony | 90 | Fair | Good | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| 1356: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1365: Hillview | 90 | Fair | Good | Good | Good | Good | Fair | Fair | Fair | Good | Fair |

Wildlife Habitat (MN)

Becker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1825B: Seelyeville, seepland | 90 | Poor | Poor | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| 1878: Hamre | 90 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| 1938: Lakepark | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| 1942: Forada, depressional | 90 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 1967: Hamerly | 55 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Vallers | 35 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| 1975: Oylen | 90 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| 1997: Vallers | 40 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| Hamerly | 30 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Winger | 20 | Fair | Fair | Fair | Poor | Poor | Good | Good | Fair | Poor | Good |
| W: Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |